

E.C.T DISTRIBUTION LTD company is specializing in production of stainless and acid resistant steel. Our experience and high tech production equipment results in best quality products.

All E.C.T DISTRIBUTION LTD products fulfil health requirements and have certificate of National Institute of Hygiene (NIH)







#### **LIST OF CONTENTS:**

Silver Series	2
Gold Series	4
Vertical Series	6
Classic Series	8
Corner Series	10
Wall Series	12
Point Series	14
Sealing products	16
Additional options	17



# COMFORT. BEAUTY. FUNCIONALITY.

E.C.T DISTRIBUTION LTD products can ensure you a perfect drainage system thanks to great detail attention, modern design and high quality materials.

Funcionality, safety and modern design - this is what new line of E.C.T DISTRIBUTION LTD products offers

# SILVER SERIES



#### Shower drain "KF"

with flange (plastic drain fitting)

#### Basic features:

- plastic drain fitting
- 11 decorative patterns of lids
- fantastic detail finnishing
- cuff (flange) makes drain tight and helps during drain assembly
- tile top option

Drain with flange is the most popular solution for bathrooms, saunas and swimmingpools.









When shower drain is conected to sewage system, floor can be covered with concrete. We should remember to provide correct spirit level 1,5-2% of run off. We suggest to use a special sealing cuff which will additionally secure drain.



#### Shower drain with plastic drain fitting Φ 50

length / index	height to flange	width	Φ
500 KF_p	85 mm	75 mm	50
600 KF_p	85 mm	75 mm	50
700 KF_p	85 mm	75 mm	50
800 KF_p	85 mm	75 mm	50
900 KF_p	85 mm	75 mm	50
1000 KF_p	85 mm	75 mm	50
1100 KF_p	85 mm	75 mm	50
1200 KF_p	85 mm	75 mm	50





#### Assembly accessories:



#### Sealing cuff (manchet)

Sealing cuff makes drain tight. This is three layered sealing mat which protects wall and floor from dampness. Sealing manchet is made of waterproof polyethylene foil. Both sides are covered with special interlining fabric which provides perfect connection with

#### Assembly legs

Assembly legs help to install the drain in the right position, fast and easy.



#### Lid patterns available

Ceramic Tile Smooth Greek 99999999999999999999 Wave *.....* Square Wave In Caro Rainbow Chaos Stripes Individual caption DOWOLNY NAPIS



# **GOLD SERIES**



#### Shower drain "KNF"

with flange (metal drain fitting)

#### **Basic features:**

- metal drain fitting
- whole drain made of stailess steel
- cuff (flange) makes drain tight and helps during drain assembly
- very low, only 65mm height to flange
- 11 decorative patterns of lids
- tile top option lid


This is the lowest drain on market. We can use it even in places were we do not have much space.









When shower drain is conected to sewage system, floor can be covered with concrete. We should remember to provide correct spirit level- 1,5-2% of run off. We suggest to use a special sealing cuff which will additionally secure drain.



#### Drain with metal drain fitting Φ 40/50

length/ index	height to flange	width	Φ
500 KNF_m	65/75 mm	75 mm	40/50
600 KNF_m	65/75 mm	75 mm	40/50
700 KNF_m	65/75 mm	75 mm	40/50
800 KNF_m	65/75 mm	75 mm	40/50
900 KNF_m	65/75 mm	75 mm	40/50
1000 KNF_m	65/75 mm	75 mm	40/50
1100 KNF_m	65/75 mm	75 mm	40/50
1200 KNF_m	65/75 mm	75 mm	40/50





#### Assembly accessories:



#### Sealing cuff (manchet)

Sealing cuff makes drain tight. This is three layered sealing mat which protects wall and floor from dampness. Sealing manchet is made of waterproof polyethylene foil. Both sides are covered with special interlining fabric which provides perfect connection with

#### Assembly legs

Assembly legs help to install the drain in the right position, fast and easy.



#### Lid patterns available

Ceramic Tile Smooth Greek Wave *.....* Square Wave In Caro Rainbow Chaos Stripes Individual caption

#### DOWOLNY NAPIS



# **VERTICAL SERIES**



#### Shower drain "KDF"

with flange (metal drain fitting)

#### **Basic features:**

- tile top option
- metal drain fitting with vertical outlet
- cuff (flange) makes drain tight and helps during drain assembly
- 11 decorative patterns of lids
- whole drain made of stailess steel


This type of drain is designed to connect with vertical drain pipe.








When shower drain is conected to sewage system, floor can be covered with concrete. We should remember to provide correct spirit level- 1,5-2% of run off. We suggest to use a special sealing cuff which will additionally secure drain.






#### Drain with metal drain fitting Φ 50 (vertical)

length/ index	height to flange	width	Ф
500 KDF_m	100 mm	75 mm	50
600 KDF_m	100 mm	75 mm	50
700 KDF_m	100 mm	75 mm	50
800 KDF_m	100 mm	75 mm	50
900 KDF_m	100 mm	75 mm	50
1000 KDF_m	100 mm	75 mm	50
1100 KDF_m	100 mm	75 mm	50
1200 KDF m	100 mm	75 mm	50





#### Assembly accessories:



#### Sealing cuff (manchet)

Sealing cuff makes drain tight. This is three layered sealing mat which protects wall and floor from dampness. Sealing manchet is made of waterproof polyethylene foil. Both sides are covered with special interlining fabric which provides perfect connection with

#### Assembly legs

Assembly legs help to install the drain in the right position, fast and easy.





# **CLASSIC SERIES**



### Shower drain "V"

#### **Basic features:**

- few lid patterns available
- very slim and elegant
- high channel throughput
- low price

High quality shower drain, slim and subtle.








When shower drain is conected to sewage system, floor can be covered with concrete. We should remember to provide correct spirit level- 1,5-2% of run off. We suggest to use a special sealing cuff which will additionally secure drain.








#### Shower drain with plastic drain fitting Φ 50


length / index	height	width	Φ
500 V_p	120 mm	70 mm	50
600 V_p	120 mm	70 mm	50
700 V_p	120 mm	70 mm	50
800 V_p	120 mm	70 mm	50
900 V_p	120 mm	70 mm	50
1000 V_p	120 mm	70 mm	50
1100 V_p	120 mm	70 mm	50
1200 V_p	120 mm	70 mm	50



Plastic drain fitting

Drain

#### Lid patterns available



# **CORNER SERIES**



#### Corner drain "KFL"

with flange

#### **Basic features:**

- metal or plastic drain fitting
- whole drain made of stailess steel
- cuff (flange) makes drain tight and helps during drain assembly
- very low, only 65mm height to flange
- any length of arms

Shower drain KFL has attractive, modern look.








Corner drain is new on market. Is it perfect for big surface showers. It will make your shower unique.



#### Drain with metal drain fitting Φ 50

arm / index length	height to flange	width	Φ
300xxKFL_m	75 mm	75 mm	50
400xxKFL_m	75 mm	75 mm	50
500xxKFL_m	75 mm	75 mm	50
600xxKFL_m	75 mm	75 mm	50
700xxKFL_m	75 mm	75 mm	50
800xxKFL_m	75 mm	75 mm	50
900xxKFL_m	75 mm	75 mm	50
1000xxKFL_m	75 mm	75 mm	50



#### Assembly accessories:



#### Sealing cuff (manchet)

Sealing cuff makes drain tight. This is three layered sealing mat which protects wall and floor from dampness. Sealing manchet is made of waterproof polyethylene foil. Both sides are covered with special interlining fabric which provides perfect connection with


#### Assembly legs

Assembly legs help to install the drain in the right position, fast and easy.



#### Lid patterns available

Ceramic Tile Smooth Greek *......* Square Caro Rainbow Chaos Stripes Individual caption DOWOLNY NAPIS



# WALL SERIES



# Wall drain with curved flange

#### **Basic features:**

- it is perfect to place it directly by the wall
- fasten to a wall
- very low, only 65mm height to flange
- curved flange assures additional wall sealing


Perfect sollution if we want to place drain directly by the wall. Curved flange helps during assembly and assures additional sealing.








This type of drain is perfect if we want to place it directly by the wall. Curved flange helps during assembly and makes it a lot easier and faster.



#### Drain with metal drain fitting Φ 40/50 (curved)

length / index	height to flange	width	Φ
500 KNWF_m	65/75mm	75 mm	40/50
600 KNWF_m	65/75mm	75 mm	40/50
700 KNWF_m	65/75mm	75 mm	40/50
800 KNWF_m	65/75mm	75 mm	40/50
900 KNWF_m	65/75mm	75 mm	40/50
1000 KNWF_m	65/75mm	75 mm	40/50
1100 KNWF_m	65/75mm	75 mm	40/50
1200 KNWF_m	65/75mm	75 mm	40/50



#### Assembly accessories:



#### Sealing cuff (manchet)

Sealing cuff makes drain tight. This is three layered sealing mat which protects wall and floor from dampness. Sealing manchet is made of waterproof polyethylene foil. Both sides are covered with special interlining fabric which provides perfect connection with

#### Assembly legs

Assembly legs help to install the drain in the right position, fast and easy.





# POINT SERIES



# Standard square drain

#### **Basic features:**

- ideal for small bathrooms
- many lid patterns available
- whole drain made of stailess steel
- very low, only 65mm

#### Ideal for small bathrooms







Standard square drain is a perfect solution for small showers. It is very low, so it can be install in almost every bathroom.






#### Drain with metal drain fitting Φ 40


length/ index	height	Φ
100x100mm KNF_m	65/75 mm	40/50
150x150mm KNF_m	65/75 mm	40/50
200x200mm KNF_m	65/75 mm	40/50

#### Drain with metal drain fitting Φ 50

length/ index	height	Ф
100x100mm KF_p	85mm	50
150x150mm KF_p	85mm	50
200x200mm KF_p	85mm	50



# Lid patterns available



15

# **SEALING MATERIALS**



# Insulation liquid foil

#### Use:

- bathrooms, showers, toilets
- washing rooms, basements
- kitchens.

# **PVA** adhesive (grout)

#### Use:

- porous, water soaking up concrete bases
- cement-limestone bases
- brick, cellular concrete or gips surfaces



# 16

# Sealing tape and corners

#### Use:

Settlement joint sealing used inside buildings, on terraces and balconies

# ADDITIONAL OPTIONS



#### Artificial stone filler

#### Basic features:

Perfect sollution for those who want to have drain with smooth ceramic lid without any joints.

Many colour options avaiable, so it is easy to match it to bathroom style, and colour of cerammic tiles.

Lengths of fillers are cut to the sizes of drain lids, so they fit perfectly. Artificial stone filler look elegant and aesthetic.



# Possibility to move drain

E.C.T DISTRIBUTION LTD wants to offer best quality products and set new trends in modern bathrooms. We care about every detail to meet expectations even of the most demanding clients

#### **Outlet rotation**





# **E.C.T DISTRIBUTION LTD**

Vat no 175804195 NO.8683491 34 HASELDINE MEADOWS HATFIELD HERTFORDSHIRE AL10 8HB

0757 713 2634
ectdistribution@yahoo.co.uk
www.shower-drains.co.uk

**DYSTRYBUTOR**